

















Seven Pacific

Vessel Info

Full specification overleaf

Seven Pacific is a construction / flex-lay vessel capable of operating in water depths of up to 3,000m.

- Length 134m x breadth 24m
- Deck area 1,700m²
- Accommodation for 100 persons
- Heave compensated 250t crane / 30t auxiliary crane
- · Vertical lay system, 260t top tension
- 2x 1,250t carousels below deck and multiple reels on deck
- 2x work-class ROVs

Fast Facts

- Ability to launch both ROVs in 4.6m significant wave heights
- Globally accepted reel-lay vessel, with successfully completed projects in Europe, Mediterranean, Gulf of Mexico and West Africa
- Proven track record in water depths from 40m to 3,000m
- 2,500t internal product storage capacity
- Designed and interfaced to support deck mounted multiple reel drive systems
- 980m² working deck with removable bulwarks to accommodate additional deployment platforms and chutes





General Information	
Classification Built Delivery Flag State Authority	Lloyds Register, +100A1, +LMC, UMS, DP (AA), CAC(1), EP(N), ICC, UD strength for load of 10t/m², Heli landing area Merwede 2010 Isle of Man
Principal Dimensions	
Length Overall Breadth Depth to Maindeck Draught (design) Deadweight Gross Tonnage Net Tonnage Max Displacement	133.81m 24.00m 10.00m 6.75m 7,842.5t 12,084 3,625 15387.5t
Main Deck	
Deck Area (Aft of moonpool) Deck Strength	1,700m ² 10t/m ²
Tank Capacities (100%)	
Marine Gas Oil Potable Water Ballast Water Anti-Heel Tanks Stabiliser Tanks Technical FW (in WB Tanks)	1,500m ³ 600m ³ 3,100m ³ 415m ³ 640m ³ 280m ³
Speed Speed	40 longeto (200000)
Service Speed Power and Propulsion	13 knots (approx)
Main Engines / Generators Propulsion	2x 3,360kW + 2x 3,840kW (Wartsila diesel electric) 3x 2,500kW stern azimuth thrusters (Wartsila) 1x 2,400kW retractable bow azimuth thruster (Wartsila)

DP Systems		
DP Classification DP System Reference Systems	DP (AA) (Class II) KPOS DP22 dual redundancy 2x Veripos DGPS, 1x Seapath DGPS 2x HiPAP 500 1x taut wire 1x Radius	
Cranes		
Huisman BV Main Deck Crane Main Deck Crane (Whip Line) National Oilwell Aft Deck Crane VLS Tower Crane Moonpool	250t 20t 30t 20t	
Number Dimensions: Helideck	1 7.5m x 7.05m	
D value T value	22.2m 12.8t	
The vessel is fitted with an approved and certified helideck suitable for Sikorsky S92 and Super Puma operations.		

Pipelay Systems

The vessel is fitted with two underdeck storage carousels, each with a capacity for 1,250t of product. A vertical lay system (260t top tension capacity) is permanently installed for deployment of a range of flexible products.

ROV Systems

The vessel is fitted with two over side cursor launched work-class Hercules ROVs rated to 3,000m.

Accommodation

100 persons	
Single Cabins (with dayroom)	4
Single Cabins	34
Double Cabins	31
Hospital	
(not included in total)	2

Comms Systems

The vessel is fitted with an extensive communications system including a dual KU / C band Vsat satellite communication system, 2x Inmarsat C and Inmarsat F systems.





client.enquiry@subsea7.com



www.subsea7.com



















2x 1,500kW bow tunnel thrusters

(Wartsila)